

KLEIN[®] TOOLS



Renewable Solutions

***PREMIUM QUALITY PRODUCTS
FOR RENEWABLE INSTALLATIONS***



**KLEIN[®]
TOOLS**





Solar Installer Professional Toolkit

KTSTK6

Solar installer professional toolkit, 8 piece with tool lanyard - a purpose-built solution designed for solar installers.

Contents of Kit:		Page No:
J63215	Klein Tools Solar Compact Cable Cutter x 1	2
3010SAU	Klein Tools Solar Ratcheting Crimper 2.5 - 6mm2 x 1	2
11069SAU	Klein Tools Solar Automatic Wire Stripper 2.5 - 8mm2 x 1	2
68426S	Klein Tools Solar Insulating Wrench for MC4® Connectors x 2	2
55583	Klein Tools Double Zipper Bag, 12 x 7-Inch x 1	7
32934M	Klein Tools 8-in-1 Metric Impact-Rated Flip Socket Set x 1	8
19864	Ergodyne Squids Tool Lanyard, Detachable Carabiner & Cinch Loop (2.3kg) x 1	12



Solar Automatic Wire Stripper

11069SAU

Strips 2.5 to 8mm² stranded PV wire with ease. Grip and strip wire with a compound single-action motion. Precision machined stripping holes, easily remove thick insulation without damaging the wire. Wire stopper attachment is sold separately to strip consistent lengths of wire every time [Cat. No. 11081].



Solar Ratcheting Crimper

3010SAU

Crimps MC4 style pins onto 2.5 to 6mm² stranded copper wire. Adjustable compound action design puts more crimping power into each squeeze. Built-in ratchet ensures full-cycle crimping for a uniform crimp every time. Dial adjusts the amount of force applied to the crimp. Dual-material molded grips provide added comfort.



Solar Insulating Wrench for MC4® Connectors

68426S

Assembly and disassembly wrenches for MC4® style PV connectors. Durable steel inserts prevent wrenches from warping over time. TPE overmold provides added hand comfort. 1500V DC rated insulation meets or exceeds IEC 60900:2018 and ASTM F1505-16(2021) standards for insulated tools to protect against electrical shock.



Solar Compact Cable Cutter

J63215

High-leverage design cuts up to 50mm² aluminum, copper, and communications cable. Cuts and removes aluminum metal clad (MC) cable jacket. Hot-riveted joint ensures smooth action and no handle wobble. Forged from custom, US-made durable tool steel for extreme durability.



Hook Claw Hammer 16oz

H80816

Electrician's Hammer features a straight-claw design for easy pulling of nails. High-strength fiberglass core for maximum shock absorption. 16-Ounce forged steel head weight. Smooth head for reduced marring. Compact and lightweight for frequent use. 13-Inch length handle with durable, non-slip grip for superior comfort. Hang hole in handle for tethering ability and hanging storage. Great general purpose hammer. Use on roofing nails.



Heavy Duty Pry Bar Crowbar, 38.1 cm

66094

Pry bar crowbar is forged from carbon steel for heavy-duty use. 3 different bevelled edge nail pulling slots for a versatile prying tool. Durable grip for vibration dampening ensuring comfort for users. Maintains sharp bevelled edges for easy access to tight spaces. Corrosion-resistant coating. Hardened steel design to maintain consistent nail pulling force. Curved shepherd's hook for ultimate leverage.



Flush Cutter Pliers

D275-5

Flush Cutter Pliers with improved knife design snips wire up to 1.5mm², producing a flat, flush cut. Pliers' pinch cutting greatly reduces cutting effort and minimizes fly-off. Grips designed for greater tool control. Ultra slim profile increases access in confined areas.



Aviation Offset Straight Snips for Solar Bird Guard Mesh

2402S

Offset blades keep user's hand above material being cut and flow material away from the blades. Forged and heat treated steel blades for strength and durability. Cuts up to 18 gauge cold-rolled sheet metal and 22 gauge stainless steel sheet metal. Use it to cut through bird guard mesh.





Tape Measure 7.5m

9375

Tape Measure with 16-Foot Reach (standout plus estimated extension of a typical user) and a 13-Foot Standout (4 m standout). Uncluttered, easy-to-read metric and imperial (SAE) scales on front and back side. Heavy-duty, tough, durable nylon-coating protects blade printing and delivers a longer blade life.



Magnetic Box Beam Level, 600mm / 1200mm

Level has patented magnet track that prevents powerful Rare-Earth magnets from falling out. Vial accuracy at (0.029 degrees or 0.5mm/m). Bubble level with large, easy-to-read vials at level and 90 degrees. Top-view vial window enables easy readability from multiple angles. V-Groove fits contour of conduit and pipe. Equipped with shock absorbent, removable rubber end caps to protect against accidental impacts.



Code	Description
93524MAG	Magnetic Box Beam Level, 600mm
93548MAG	Magnetic Box Beam Level, 1200mm



2000A AC/DC Auto-Ranging TRMS Clamp Meter

CL910

2000V AC/DC voltage measurement capability specifically designed for high-voltage applications including power distribution networks and renewable energy systems. Advanced True Root Mean Squared (TRMS) auto-ranging technology provides professional-grade accuracy. Designed to withstand tough jobsite conditions. Hands-free operation.



Digital Angle Gauge with Alert

935DAA

This Digital Angle Gauge can measure or set angles, check relative angles with zero calibration feature, or can be used as a digital level. LEDs light up red, orange, or green based on how close the device's orientation is to the user defined angle. Strong magnetic base attaches to conduit, pipes, saw blades, vents, ducts, and other ferromagnetic surfaces.

With a fully extended web handle and swivel snap hook, this lift bucket has the strength needed for hoisting as much as 45kg safely. Made of water-resistant vinyl, this tool bucket will help keep your tools dry.

The image displays a variety of Klein Tools products. At the top left is a large orange lift bucket with a black strap and a swivel snap hook. Below it is a coiled red extension cord. To the right are several hand tools: a pair of orange-handled side cutters, three screwdrivers with black and orange handles, and two sets of three color-coded bit drivers. In the center are three black cables with metal connectors, a black and orange claw hammer, two orange and grey locking pliers, and two orange and black multi-tool organizers. At the bottom left are six color-coded bit drivers (yellow, blue, red, green, purple, and black) and a black and orange coiled cable. To the right are a black and orange tape measure, a black and orange multi-tool organizer, and a pair of black and orange side cutters. The background is white, and the text 'COMING SOON' is written in large, bold, black letters at the bottom.

COMING SOON

Contents of Kit:		Page No:
11069SAU	Klein Tools Solar Automatic Wire Stripper 2.5 - 8mm ²	2
3010SAU	Klein Tools Solar Ratcheting Crimper 2.5 - 6mm ²	2
68426S	Klein Tools Solar Insulating Wrench for MC4® Connectors x 2	2
J63215	Klein Tools Solar Compact Cable Cutter	2
H80816	Klein Tools Hook Claw Hammer 16oz for Roofing Nails	3
66094	Klein Tools Heavy Duty Pry Bar for Roof Tiles	3
2402S	Klein Tools Aviation Offset Straight Snips for Solar Bird Guard Mesh	3
9375	Klein Tools Tape Measure 7.5m for Measuring Solar Panel Spacing	4
5109CSV	Klein Tools Vinyl Bucket with Swivel and Top	7
32298INS	Klein Tools 3mm Hex Screwdriver for 100A Insulators	7
32262INS	Klein Tools PZ1/SL Screwdriver for Fuse Boards	7
32263INS	Klein Tools PZ2/SL Screwdriver for Fuse Boards	7
70540MHD	Klein Tools Compact Folding Hex Key Set for Securing Solar Brackets Impact Rated	8
70540THD	Klein Tools Compact Folding Torx Key Set for Securing Solar Brackets Impact Rated	8
33808M	Klein Tools Grab and Go Impact Socket Set Metric 7pcs for Securing Solar Brackets	8
VDV226-110	Klein Tools Pass Through Compact Ratcheting RJ45 Cutter, Stripper, Crimper & Trimmer for Connecting Solar System	10
SRCT3.6	Super Rod Cable Tongue	11
19068	Ergodyne Tool Tether Loop 3pk	12
19864	Ergodyne Tool Tether 2.3kg	12



Utility Bucket, Vinyl Tool Bucket with Top Closure, Swivel Snap, 30.5 cm

5109CSV

Water-resistant vinyl tool bucket construction helps to keep tools dry. Zip-closed top keeps tools safely inside. Maximum safe load rating of 100 lbs (45 kg), 12" (30.5 cm) diameter and 17" (43.2 cm) high. Web handle extends down the sides of the bucket for added strength. Swivel snap hook for hoisting. Tested and specified to use at heights.



Double Zipper Bag, 30.5 cm x 17.8 cm

55583

Dual-compartment zipper pouch keeps everything you need organised and easily accessible. Constructed with heavy-duty, water-resistant 1680d material. Reinforced bottom constructed with 2520d material. 3-inch flat bottom allows zipper bag to stand up for easy access. Zipper bag is 12-inch long x 7-inch high x 3-inch flat bottom (30.5 x 17.8 cm x 7.5 cm)



3MM Hex VDE Screwdriver

32298INS

3 mm Allen Key tip. Suited for the safe termination of double pole isolators that sit between a smart meter and the consumer unit. Ergonomically designed to provide an extra-firm and fatigue-free grip.



VDE Insulated Slim Tip Screwdriver

Ergonomic handle for greater torque and comfort. Anti-roll design prevents tool loss. Clearly marked with the official 1,000-volt rating symbol. Durable, moulded insulation. Pozidriv is a registered trademark of the Phillips Screw Company.



Code	Description
32262INS	SL/PZ1 VDE Insulated Slim Tip Screwdriver
32263INS	SL/PZ2 VDE Insulated Slim Tip Screwdriver



Grab and Go Impact Socket Set Metric, 7 Piece / 10 Piece

Metric impact socket sets feature the most frequently used sizes: 8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 18 mm, and 19 mm - 10 piece. Or 8 mm, 10 mm, 12 mm, 13 mm, 14 mm, and 15 mm - 7 piece. Optimised wall thickness and precision hex pockets to securely grip fasteners and provide quick access. Carabiner attachment.

Code	Description
33809M	7 Piece Impact Socket Metric Set
33808M	10 Piece Impact Socket Metric Set



8-in-1 Metric Impact-Rated Flip Socket Set

32934M
Impact Socket Set includes 4 flip sockets for quick access and convenience to common sizes. 8-in-1 Metric Impact-Rated Set with hex sizes 7, 8, 10, 12, 13, 14, 15, and 17 mm. Powerful Rare-Earth magnet holds fasteners securely for convenient and easy driving.



COMING SOON



Compact Folding Hex Key Set, 9-Key, Metric Sizes

70540MHD
Compact and pocketable hex key set for convenient carrying and storing. Easy key access through side entry features hex key sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm. Comes with 6 detachable impact rated 1/4 inch bits. Perfect for tightening solar brackets.



Compact Folding Hex Key Set, 9-Key, Torx Sizes

70540THD
Compact and pocketable hex key set for convenient carrying and storing. Easy key access through side entry features Torx® hex key sizes: T8, T9, T10, T15, T20, T25, T27, T30, T40. Comes with 6 detachable impact rated 1/4 inch bits. Perfect for tightening solar brackets.





Data Installation Kit

KDSDK1

This 7-piece solution gives installers all they need for a seamless data install.

Contents of Kit:		Page No:
VDV427-014	Krone Punch-down Tool with Hook & Spudger	-
55583	Heavy Duty Double Zipper Stand Up Water Resistant Tool Bag	7
VDV226-110	Ratcheting RJ45 Crimper with Stripper, Cutter and Pass Thru Trimmer	10
VDV110-295	Combination Radial Stripper for Data and Coax Cables	10
VDV526-200	Lan Scout Jr.2 RJ45 Cable Tester	10
VDV826-728	Pass Thru Modular Data Plugs RJ45 CAT5E 10Pack	10
VDV826-729	Pass Thru Modular Data Plugs RJ45 CAT6 10Pack	10



Combination Radial Stripper

VDV110-295

Easily and cleanly strips both coaxial and twisted-pair cable including RG59, RG6/6Q, CAT3, CAT5, CAT6 and 6A sizes. Premium tool features a slide depth gauge to pre-measure coax cable for quick, precise and repeatable 5/16" (7.9 mm) and 1/4" (6.4 mm) strips. Additional external blade in a structured design allows user to slit wire jacket for mid-span access or to open lengthwise.




Pass Through Compact Ratcheting RJ45 Cutter, Stripper, Crimper & Trimmer

VDV226-110

Modular crimp-connector installation tool for voice and data applications with Pass-Thru RJ45 connector plugs. Wire stripper, crimper, and cutter all-in-one tool for STP/UTP paired-conductor data cables. Trims flush to end face of connector eliminating unintended contact between conductors. Crimps and trims Klein Tools RJ45 Pass-Thru™ Connectors.



Pass-Thru™ Connectors / Plugs



Lan Scout Jr.2 RJ45 Cable Tester

VDV526-200

Cable tester for data (RJ45) terminated cables and patch cords. Large backlit LCD for low lit areas displays pin to pin wiremap results. Test for Open, Short, Miswire or Split-Pair faults, Cross-over and Shield. Intuitive user interface.



Code	Description
VDV826-702	Pass-Thru™ Modular Data Plug, RJ45- CAT5E, 50-Pack
VDV826-703	Pass-Thru™ Connectors, RJ45-CAT6, 50 pack
VDV826-728	Pass-Thru™ Modular Data Plugs, RJ45-CAT5E, 10-Pack
VDV826-729	Pass-Thru™ Modular Data Plugs RJ45-CAT6, 10-Pack



Cable Jack Plus

SRJK-PLUS

Dispense cable from various size spools. The lightweight design is easy to set up and folds away flat for convenient storage and transport. Three poles provided, hold up to 70kgs of most standard cable sizes. Cable Jack Plus can be used with solar cables to run multiple cables at the same time.



Cable Tongue

SRCT3.6

The Cable Tongue is designed for pulling cables through walls, above ceilings, below floors and anywhere else a cable needs to go. There are 100's of tools on the market designed for pulling cables, none of which are flat. Have you ever tried to pull cables past insulation in a wall? The Tongue is flat, and therefore it will keep a straight path up a wall. The Tongue can be stored straight or coiled. It is a specially designed plastic that you can bend and twist it into the shape you need. Can be used with solar cables to run multiple cables at the same time. Includes: 1 x 3.6m of Cable Tongue (coiled)



Glow Fish

SRGF4

The 4m fish tape every electrician needs. Fish your cables through wall cavities, suspended ceilings, and tight spaces. Constructed from a non-conductive material that offers high tensile strength, exceptional durability and control. Maintains straightness when uncoiled yet will bend in the desired direction. Each end is built from a material that has memory and can be bent into shape to guide over obstacles whilst fishing your cable.





Tool Lanyard 2.3kg

19864

Prevents drops. Convenient tethering. Secure attachment. Impact protection. Reduced snags and tangles. Long-lasting durability - heavy-duty 1680D polyester. Extends from 38-48in // 96-122cm for added reach. Quick-connect buckle. Ideal for - construction, utilities and industrial work at heights.



Wrist Tool Lanyard

19057

Convenient tethering. Buckle. Hook & loop securing closure strap. Soft elastic cuff. Storage pocket. Tether length - 16.5in // 40cm (when Squids 3103 is attached.)



Tool Tether Loop 3pk

19068

Affix to small hand tools or anchor points to create an attachment point for tethering tool lanyards. Long lasting. Buckle. Stretchable loop end and adjustable lock. Length - 12.5in // 32cm. Compatible with Wrist Tool Lanyard and Tool Lanyard.



Tool Lanyard Dual Carabiners 4.5kg

19822

Prevents drops. Convenient tethering. Reduces impact stress - shock absorbing design. Long-lasting durability. Secure connection. Reduces snags.



Power Tool Trap

Maximum safe working capacity: 6lbs // 2.7kg. 3780L:
Maximum safe working capacity: 10lbs // 4.5kg. Small fits
cordless power tool batteries up to: 3.5in L x 2.75in W x
2.5in H // 9cm x 7cm x 6.5cm. Large fits cordless power
tool batteries up to: 5in L x 3.5in W x 3.5in H // 12.5cm x
9cm x 9cm.

Code	Description
19782	Small
19784	Large



Angle Grinder Tool Attachment

19797

For corded or cordless angle grinders and
similar power tools. Provides a secure, reliable
anchor for tool tethering. Secure attachment
- pushes the lanyard away from the grinder's
wheel. Ambidextrous design. Use to tether
your angle grinder when cutting roof tiles



Tape Measure Holder - Belt Clip

19771

X-LARGE (BLACK) – Fits most tape measures
on the market.



Thermal Mitten Half Finger Gloves - M,L,XL

Maximum comfort, flexibility and
protection in cool to cold conditions.
Durable materials. Elastic wrist cuff
and soft thumb area.



Code	Description
17343	Medium
17344	Large
17345	Extra Large



Evaporative Cooling Towel - PVA

12420

Instant cooling relief - up to 4 hrs of cooling. Machine washable.
Dimensions- 13in x 29.5in // 33cm x 75cm



Evaporative Cooling Towel - Microfibre

12660

Soft and absorbent. Instant coolingrelieve - up to 3 hrs. UPF 50+ sun protection. Machine wash. Dimensions - 9.8in x 40.9in / 24.9cm x 103.9cm



Cooling Hat and Neck Shade

12520

Designed for all-day outdoor work, this lightweight hi-vis sun hat delivers UPF 50+ protection across the head, face and neck. Perfect for covering the back of the neck and ears, while working on roofs. Cool performance fabric wicks moisture away to keep workers cool and comfortable throughout the day.



Protection for Your Knees

Code	Description
18551	Padded Knee Sleeves M/L
18552	Padded Knee Sleeves L/XL
18382	Foam Kneeling Pad



KLEIN[®] TOOLS



Renewable Solutions

*Find out more about
our Renewables Range*

Tel: 01495 792000

Email: sales@super-rod.co.uk

Join our Trades Club for product news,
tutorials, special deals and giveaways.
Email tradesclubuk@super-rod.co.uk
with your details.

Follow us on social media:



**KLEIN[®]
TOOLS**

